

Dipping and Coating Operations (Dip Tanks)

Chapter 296-835 WAC

Index

A

- ACGIH (American Conference of Governmental Industrial Hygienist)**
 - reference, Industrial Ventilation: A Manual of Recommended Practice, ACGIH Standard (22nd ed., 1995), **110-3-5**
- Adjacent area**
 - controlling ignition sources, **120-10-11**
 - definition, **140-1**
- Airborne concentration, lower flammable limit, 110-3-5**
- Air cleaning device, recirculated air, 110-5**
- Air contaminants, employee exposure, 110-3-5**
- Airflow**
 - checking adequacy (inspection), **110-5**
 - spray cleaning and degreasing, **130-12**
- Air velocity, 130-12**
- Alarm**
 - hardening or tempering tanks, **130-3-4**
 - recirculated air, **110-5**
 - set point, **130-3-4**
- ANSI (American National Standards Institute) Standards Practices for Ventilation and Operation of Open-Surface Tanks, ANSI Z9.1-1971, 110-3-5**
 - Fundamentals Governing the Design and Operation of Local Exhaust Systems, ANSI Z9.2-1979, 110-3-5**
- Approved, definition, 140-1**
- Approved equipment**
 - flow coating, **130-9**
 - liquid can drip or splash, **120-11**
 - paint detearing (electrostatic equipment), **130-5-8**
 - recirculated air, **110-5**
- Atmosphere, conductive, 130-10**
- Autoignition temperature**
 - definition, **140-1**
 - heating dip tank liquid, **120-13**
- Automatic Fire Protection Systems, Requirements, Table 1, 120-8-9**

B

- Boiling point, heating dip tank liquid, 120-13**
- Bonding**
 - (See electrical wiring and equipment)
- Bottom drains**
 - construction, **120-6-7**
 - exemption for automatic closing covers, **120-6-7**
 - inspection, **120-8-9**
- Burning, 110-10**

C

- Chromic acid, medical requirements, 110-11-12**
- Cleaning**
 - pipes, **120-4**
 - preparing for cleaning tanks, **110-8**
- Combustible liquid, 130-3-4**
 - definition, **140-1**
- Combustible material**
 - clearing (see housekeeping)
 - debris, **120-12**
 - stock, **120-12**
- Condenser, 130-11-12**
- Conducting materials, 130-5-8**
- Conductors, 130-5-8**
- Confined spaces, reference, 110-8**
- Construction**
 - dip tanks, **120-4**
 - drain boards, **110-3, 120-4**
 - piping connections, **120-4**
- Contaminants**
 - recirculated air, **110-11-12**
 - street clothes, **110-11-12**
- Conveyors**
 - hardening or tempering, **130-3-4**
 - paint detearing, **130-5-8**
- Cooling system**
 - hardening or tempering, **130-3-4**
- Covers**
 - exemption for bottom drains, **120-6-7**
 - fire protection system, **120-8-9**
 - inspection, **120-8-9**
- Cyanide tanks, 110-9**
 - mixing cyanide with acid, **110-9**

Index



Dipping and Coating Operations (Dip Tanks)

Chapter 296-835 WAC

Index

D

Deficiencies, 110-6-7

Definitions

- approved, 140-1
- autoignition temperature, 140-1
- combustible liquid, 140-1
- detearing, 140-2
- dip tank, 140-2
- flammable liquid, 140-2
- flashpoint, 140-2
- lower flammable liquid, 140-2
- NFPA, 140-2
- vapor area, 140-3

Detearing

- definition, 140-2
- (See also paint detearing)

Dipping and coating operations,
examples, 100-2

Dip tank, definition, 140-2

Draft diverter, 130-11-12

Drain boards, construction, 110-3, 120-4

Drip plates, 130-5-8

Drip screens, 130-5-8

Drying operation, 120-14

Duct work, inspection, 120-8-9

E

Electrically bonded, 120-10

Electrical wiring and equipment, 120-11

- bonding and grounding
- adding liquid, 120-10
- roll coating, 130-10
- electrostatic equipment, 120-11, 130-5-8
- grounding connection, 120-8-9, 130-5-8
- grounding, electrostatic equipment, 130-5-8
- hazardous (classified) locations, 120-11
- vapor area, 120-10-11
- wiring, 120-8-11

Electricity

- area, 120-10
- sparks, 120-10
- static, 120-10

Electrodes, 130-5-8

Electrostatic equipment

- (See also paint detearing)
- electrical requirements, 120-10-11, 130-5-8
- grounding, 130-5-8
- vapor area, 120-10-11, 130-5-8

Emergency washing facilities, 110-7-8

- (See also First-aid, Chapter 296-800-15020, in the Safety and Health Core Rules book)

Employee exposure, air contaminants,
110-3-5

Employee protection

- burning or open flames, 110-10
- liquids, burning, 110-11-12
- skin harm, 110-11-12
- welding, 110-10

Entering a dip tank, 110-8

- (See also: Confined Spaces, Chapter 296-62-141
WAC Safety Procedures, Chapter 296-24
WAC, Part A-4)

Equipment

- (See electrical wiring and equipment)

Exemptions

- bottom drains, 120-6-7
- hardening and tempering, 120-8-9
- molten material, 100-1

Exhaust hood, 110-6

Exhaust system

- (See ventilation)

Explosion-proof wiring and equipment,
120-10-11

- adjacent areas, 120-10-11
- vapor area, 120-10-11

F

Fire extinguishing

- inspection, 120-8-9
- manual fire extinguisher, 120-8-9
- system requirements, 120-8-9
- (See also:
Fixed Extinguishing Systems, Dry Chemicals,
Chapter 296-24-622 WAC, 120-8-9
Fixed Extinguishing Systems, Gaseous Agents,
Chapter 296-24-623 WAC
Fixed Extinguishing Systems, Water Spray and
Foam, Chapter 296-24-627 WAC), 120-
8-9

Fire protection

- automatic dip tank cover, 120-8-9
- automatic fire extinguishing system, 120-8-9
- drain boards, table 1, 120-8-9
- hardening or tempering, 120-8-9, 130-3-4
- stock, 120-8-9
- system requirements, table 1, 120-8-9
- vapor area, 120-7



Dipping and Coating Operations (Dip Tanks)

Chapter 296-835 WAC

Index

First-aid, 110-7-8

- emergency washing facilities, 110-7-8
- material safety data sheet (MSDS), 110-7-8
- procedures, 110-7-8
- (See also: First-aid, Chapter 296-800-15020, in the Safety and Health Core Rules book)

Flammable liquid, definition, 140-2

Flammable or combustible liquids, 110-3-5

- constructing dip tanks, 120-4
- flashpoint, 120-1
- recirculated air, 110-5
- storage, 120-1-15

Flashpoint

- definition, 140-2
- limitation for flammable or combustible liquid, 120-1

Flow coating, 130-9

G

Grids and connections, 130-5-8

Grounding, 130-5-8

H

Hardening or tempering, 130-3-4

- alarm, 130-3-4
- conveyors, 130-3-4
- exemption, 120-8-9
- fire protection, 130-3-4
- flashpoint, 130-3-4
- tanks, construction requirements, 130-3-4

Hazard assessment, 100-1-2, 100-11-12

- (See also Personal Protective Equipment (PPE), Chapter 296-800-160 WAC)

Hazardous chemical reaction, 110-3-5

Hazardous classified locations

- electrical wiring and equipment, 120-10-11
- vapor areas, 120-10-11
- (See also Hazardous Locations, Chapter 296-24-95613 WAC)

Hazardous gas, 110-9

Health or safety hazard, 110-5

Heat drying, 120-14

- mechanical ventilation, 120-14
- (See also Standard for Ovens and Furnaces, NFPA 86-1999)

Heated surfaces, vapor areas, 120-10-11

Heating liquid, 120-13

Helpful Tool

- (See Dip Tank PPE Selection Tool)

High voltage leads, 130-5-8

Hoods

- inspection, 110-6-7
- outside air, 110-6

Housekeeping

- combustible debris, 120-12
- combustible stock, 120-12
- waste disposal, 120-12

I

Ignition, 120-14

Ignition sources, 120-10-11

- adjacent areas, 120-10-11
- heat drying, 120-14
- vapor areas, 120-10-11

Inspection

- bottom drains, 110-6-7
- covers, 110-6-7
- dip tank equipment, 110-6-7
- electrical wiring equipment, 110-6-7
- fire extinguishing equipment, 110-6-7
- hoods, 110-6-7
- how often, 110-6-7
- mechanical, 110-3-5, 130-12
- overflow pipes, 110-6-7
- ventilation, 110-6-7

L

LFL

- (See lower flammable limit (LFL))

Limit switch, 130-3-4

Liquids

- combustible, 110-5
- employee protection, 110-11-12
- flammable, 110-5
- heating, 120-13
- lockers, 110-11-12
- medical requirements, 110-11-12
- skin harm, 110-11-12
- storage, 110-11-12
- washing facilities, 110-11-12

Local exhaust system, 110-3-5

Lower flammable limit (LFL), 110-3-5

- airborne concentration, 110-3-5
- definition, 140-2
- recirculated air, 110-5

Index



Dipping and Coating Operations (Dip Tanks)

Chapter 296-835 WAC

Index

M

Material safety data sheet(MSDS),
first-aid, 110-7-8

Mechanical ventilation
(See ventilation)

Medical requirements, chromic acid,
110-11-12

Molten material, exemption, 100-1

N

NFPA (National Fire Protection Association)

Standards, references

Dipping and Coating Process using Flammable or Combustible Liquids, NFPA 34-1995 (22nd ed., 1995), 110-3-5

Ovens and Furnaces, NFPA, 120-14

Non-combustible material, 130-5-8

O

Open flames

vapor areas, 120-10-11
welding, 110-10

Open-surface tanks

Overflow pipes

inspection, 110-6-7
requirements, 120-4-5

P

Paint deposits, 130-9

Paint detearing

See also electrostatic equipment
approved equipment, 130-5-8
conveyors, 130-5-8
fire protection, 130-5-8
grounding, 130-5-8
minimum safe distance, 130-5-8
operations, 130-5-8
posting signs, 130-5-8
ventilation, 130-5-8

Piping

cleaning, 120-4
flow coating, 130-9
inspection, 120-4

Portable containers, adding liquid, 120-10

PPE, Hazard assessment

Dip Tank PPE Selection Tool, HT1
reference, 110-11-12

Processes, specific, 130-1-12

R

Recirculated air, 110-5

alarm, 110-5
approved equipment, 110-5
contaminants, 110-5
flammable or combustible liquids, 110-5
lower flammable limit, 110-5

Recordkeeping, inspections, 110-6-7

Roll coating, 130-10

flashpoint limitation, 130-10
preventing static electricity, 130-10

S

Scope, 100-1-2

Smoking, vapor area, 120-11

Solvents, chlorinated, 130-11-12

Sparking distance, electrostatic equipment, 130-5-8

Spray cleaning or degreasing

mechanical ventilation, 130-12
spray painting, 130-12
(See also:
Spray Finishing Operations, Chapter 296-62-11019 WAC, 130-5-8
Spray Finishing Using Flammable and Combustible Materials, Chapter 296-24-370 WAC), 130-5-8

Sprinkler systems, automatic, 130-5-8

Storage areas, separation from paint detearing operations, 130-5-8

Storing liquids, 120-1-15

(See also: Flammable and Combustible Liquids, Chapter 296-24-330 WAC)

T

Tank, cleaning or degreasing, 130-11-12

Thermostat, vapor level, 130-11-12

Transformers, 130-5-8



Dipping and Coating Operations (Dip Tanks)

Chapter 296-835 WAC

Index

V

Valves, 110-6-7

Vapor area

- definition, 140-3
- fire protection, 120-7
- automatic systems, 120-8-9
- manual fire extinguisher, 120-7
- heated surfaces, 120-10-11
- ignition sources, 120-10-11
- open flames, 120-10-11
- smoking, 120-10-11
- spark producing devices, 120-10-11
- ventilation, 110-3-5

Vapor concentration, 110-5

Vapor degreasing

- combustion air, 130-11-12
- exhaust flue, 130-11-12
- heating tank liquid, 130-11-12
- safeguards, 130-11-12
- solvent vapors, 130-11-12

Vapors

- solvent, 130-11-12
- spray cleaning and degreasing, 130-11-12

Vent ducts, 130-3-4

Ventilating fan, 120-14, 130-5-8

Ventilation, 110-3-5

- adequate, 120-14, 120-15
- conveyors, 120-15
- electrical wiring, 110-6-7
- exhaust hood, 110-6
- general requirements, 110-3-5
- heat drying, 120-14
- inspection, 110-6-7
- recirculated air, 110-5
- systems, 110-6-7, 120-1-5
- vapor area, 110-3-5
- See also:
 - Fundamentals Governing the Design and Operation of Local Exhaust Systems, ANSI A9.2-1979
 - Industrial Ventilation: A Manual of Recommended Practice, ACGIH Standard (22nd ed., 1995)
 - Practices for Ventilation and Operation of Open-Surface Tanks, ANSI Z9.1-1971
 - Standard for Dipping and Coating Process Using Flammable or Combustible Liquids, NFPA 34-1995 (22nd ed., 1995)

W

Washing facilities, 110-11-12

Welding requirements, 110-10

(See also:

Respiratory Protection, Chapter 296-62 WAC,
Part E

Welding, Cutting and Brazing, Chapter 296-24,
Part I)

Index

Index

Dipping and Coating Operations (Dip Tanks)

Chapter 296-835 WAC

Index

Index



IN-6

1 • 8 0 0 • 4 B E S A F E (1 • 8 0 0 • 4 2 3 • 7 2 3 3)